


Blocks Used



Half Square Triangle - 7 blocks



Solid - 16 blocks





Sawtooth Star II - 1 blocks

Block Info

| Fabric | Pieces used | Fabric to cut | Total length needed | 40" strips needed | Total Yardage |
|--------|--|--|--|--|-------------------|
| | 13 Half-square Triangle(s) 4 Quarter-square Triangle(s) | 3 - 8 7/8" square 2 - 3 13/24" square 1 - 3 1/4" square | 26.625 x 8.875" 7.083 x 3.542" 3.25 x 3.25" 9.75 x 4.875" | 1 - 8 7/8" wide 1 - 3 13/24" wide 1 - 3 1/4" wide 1 - 4 7/8" wide | 23" = ~3/4 yds |
| | | 2 - 4 7/8" square | | | |
| | 5 Half-square Triangle(s) | 3 - 8 7/8" square | 26.625 x 8.875" | 1 - 8 7/8" wide | 23" = ~3/4 |
| | 2 Square(s) | 2 - 8 1/2" square | 17 x 8.5" | 1 - 8 1/2" wide | yds |
| | 4 Quarter-square Triangle(s) | 1 - 3 1/4" square | 3.25 x 3.25" | 1 - 3 1/4" wide | |
| | 10 Square(s) | 10 - 8 1/2" square | 85 x 8.5" | 3 - 8 1/2" wide | 28" = ~7/8 yds |
| | 4 Half-square Triangle(s) | 2 - 8 7/8" square | 17.75 x 8.875" | 1 - 8 7/8" wide | 28" = ~7/8 |
| | 2 Square(s) | 1 - 8 1/2" square | 8.5 x 8.5" | 1 - 8 1/2" wide | yds |
| | 8 Quarter-square | 1 - 4 1/2" square | 4.5 x 4.5" | 1 - 4 1/2" wide | |
| | Triangle(s) | 2 - 3 1/4" square | 6.5 x 3.25" | 1 - 3 1/4" wide | |
| | 2 Square(s) | 2 - 8 1/2" square | 17 x 8.5" | 1 - 8 1/2" wide | 11" = ~3/8 yds |
| | 4 Half-square Triangle(s) | 2 - 3 13/24" square | 7.083 x 3.542" | 1 - 3 13/24" wide | 6" = ~1/4 yds |
| | 4 Square(s) | 4 - 3 1/6" square | 12.667 x 3.167" | 1 - 3 83/497" wide | 6" = ~1/4 yds |

| 1 Square(s) | 1 - 3 1/6" square | 3.167 x 3.167" | 1 - 3 83/497" wide | 6" = ~1/4 yds |
|-------------|-------------------|----------------|-----------------------|-------------------|
| 1 Square(s) | 1 - 8 1/2" square | 8.5 x 8.5" | 1 - 8 1/2" wide | 11" = ~3/8 yds |

Border1 (For pieced border, add 10" to total length)



Yardage needed: seamless border length = 48" = ~1 3/8 yds

Backing

Yardage needed: 68" = ~2 yds

Binding

2.5" Strips required: 5

Yardage needed: 12.5'' = -3/8 yds

NOTE: Directional fabric may require an increase in the displayed fabric requirements.