

Blocks Used



Slanted Diamonds - 16 blocks

Block Info

Fabric	Pieces used	Fabric to cut	Total length needed	40" strips needed	Total Yardage
	96 Half-square Triangle(s)	48 - 3 13/24" square	170 x 3.542"	5 - 3 13/24" wide	20" = ~5/8 yds
	96 Half-square Triangle(s)	48 - 3 13/24" square	170 x 3.542"	5 - 3 13/24" wide	20" = ~5/8 yds
4/4	96 Half-square Triangle(s)	48 - 3 13/24" square	170 x 3.542"	5 - 3 13/24" wide	20" = ~5/8 yds

Border1 (For pieced border, add 10" to total length)



Yardage needed: seamless border length = 40" = ~1 1/8 yds

Border2 (For pieced border, add 10" to total length)



Yardage needed: seamless border length = 44" = $\sim 1 \frac{1}{4} \text{ yds}$

Border3 (For pieced border, add 10" to total length)



Yardage needed: seamless border length = 48" = $\sim 1 3/8$ yds

Backing

Yardage needed: 68'' = -2 yds

Binding

2.5" Strips required: 5

Yardage needed: 12.5" = ~3/8 yds

NOTE: Directional fabric may require an increase in the displayed fabric requirements.